


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through January 29, 2004

VOL. 77, NO. 5

February 2, 2004

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2004

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	8	235	2,255	13,622	47,851	114,339	227,908	340,939	747,157
	3	6	186	1,211	7,111	28,059	81,110	195,642	335,727	649,052
	4	-	12	106	695	3,223	8,572	14,437	25,234	52,279
	5	-	-	4	38	143	450	515	646	1,796
	6	-	-	-	-	4	13	9	15	41
	7	-	-	-	-	1	2	-	-	3
TOTAL---		14	433	3,576	21,466	79,281	204,486	438,511	702,561	1,450,328
31	1-2	8	98	685	3,527	12,791	38,348	95,879	138,656	289,992
	3	21	233	1,668	9,397	35,899	139,552	716,432	1,724,571	2,627,773
	4	12	113	655	4,133	15,458	41,731	159,398	501,840	723,340
	5	-	6	103	814	3,285	8,266	11,968	21,767	46,209
	6	-	1	4	51	356	968	970	840	3,190
	7	-	-	-	3	30	89	70	41	233
TOTAL---		41	451	3,115	17,925	67,819	228,954	984,717	2,387,715	3,690,737
41	1-2	-	-	32	219	884	3,797	11,776	16,642	33,350
	3	-	4	62	753	5,110	60,711	371,712	851,300	1,289,652
	4	-	10	67	513	2,913	24,197	170,323	555,493	753,516
	5	-	9	62	352	1,502	4,940	14,881	41,310	63,056
	6	-	1	30	126	536	1,505	2,531	3,439	8,168
	7	-	-	-	34	103	262	459	450	1,308
TOTAL---		-	24	253	1,997	11,048	95,412	571,682	1,468,634	2,149,050
51	1-2	-	-	1	9	22	132	293	359	816
	3	-	-	1	22	385	4,276	16,195	23,044	43,923
	4	-	-	1	14	339	4,378	20,192	34,176	59,100
	5	-	-	-	5	67	945	3,877	6,523	11,417
	6	-	-	-	3	21	122	469	719	1,334
	7	-	-	-	1	28	59	143	171	402
TOTAL---		-	-	3	54	862	9,912	41,169	64,992	116,992
61	1-2	-	-	-	-	-	4	9	11	24
	3	-	-	1	1	6	37	84	92	221
	4	-	-	-	1	2	66	214	242	525
	5	-	-	-	-	4	28	114	138	284
	6	-	-	-	-	1	3	16	26	46
	7	-	-	-	-	-	1	5	4	10
TOTAL---		-	-	1	2	13	139	442	513	1,110
71	1-2	-	-	-	-	1	-	1	2	4
	3	-	-	-	-	2	2	3	7	14
	4	-	-	-	-	-	1	2	4	7
	5	-	-	-	-	-	-	1	2	3
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	3	3	7	15	28
12 & 22	1-2	3	116	774	2,105	4,679	8,100	10,219	10,758	36,754
	3	1	24	288	1,416	4,937	9,407	13,617	15,942	45,632
	4	-	4	40	223	662	1,279	2,033	2,757	6,998
	5	-	1	-	4	22	91	74	152	344
	6	-	-	-	-	-	5	1	6	12
	7	-	-	-	-	-	-	-	-	-
TOTAL---		4	145	1,102	3,748	10,300	18,882	25,944	29,615	89,740
32	1-2	3	50	253	751	1,442	2,510	3,295	2,854	11,158
	3	2	41	404	2,223	6,213	11,253	24,516	34,478	79,130
	4	-	18	191	1,138	3,613	7,317	13,722	22,987	48,986
	5	-	8	57	219	858	1,753	1,813	2,824	7,532
	6	-	1	2	14	107	216	164	228	732
	7	-	-	-	1	22	37	29	29	118
TOTAL---		5	118	907	4,346	12,255	23,086	43,539	63,400	147,656
42	1-2	-	-	12	56	127	421	847	752	2,215
	3	-	2	71	555	1,960	6,358	22,129	35,118	66,193
	4	-	2	46	541	2,555	6,836	22,975	48,356	81,311
	5	-	2	28	225	937	2,550	4,709	8,362	16,813
	6	-	3	17	38	182	486	630	794	2,150
	7	-	-	1	5	32	118	113	131	400
TOTAL---		-	9	175	1,420	5,793	16,769	51,403	93,513	169,082
52	1-2	-	-	-	1	1	28	62	56	148
	3	-	-	1	21	203	1,148	4,262	5,239	10,874
	4	-	-	4	32	200	1,469	7,012	12,211	20,928
	5	-	-	1	4	57	297	1,591	2,963	4,913
	6	-	-	-	5	11	35	184	263	498
	7	-	-	-	-	1	13	37	36	87
TOTAL---		-	-	6	63	473	2,990	13,148	20,768	37,448

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2004

QUALITY	LEAF	STAPLE								
COLOR		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	1	-	6	5	12
	3	-	-	-	2	27	92	109	90	320
	4	-	-	-	1	8	80	175	156	420
	5	-	-	-	-	1	23	86	99	209
	6	-	-	-	-	1	3	18	16	38
	7	-	-	-	-	-	-	2	-	2
	TOTAL----	-	-	-	3	38	198	396	366	1,001
13 & 23	1-2	-	6	31	125	298	583	776	1,057	2,876
	3	-	2	29	160	539	1,015	1,261	1,279	4,285
	4	-	-	9	29	69	132	170	211	620
	5	-	-	-	1	2	14	8	20	45
	6	-	-	-	-	-	1	1	-	2
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	8	69	315	908	1,745	2,216	2,567	7,828
33	1-2	1	5	8	77	195	295	418	422	1,421
	3	-	4	72	183	479	1,020	2,063	3,404	7,225
	4	-	1	19	93	363	790	1,166	1,650	4,082
	5	-	-	7	53	227	313	322	315	1,237
	6	-	-	2	4	56	57	53	42	214
	7	-	-	-	-	9	3	2	6	20
	TOTAL----	1	10	108	410	1,329	2,478	4,024	5,839	14,199
43	1-2	-	-	-	6	13	38	144	147	348
	3	-	-	1	34	120	465	1,879	3,634	6,133
	4	-	-	1	26	170	530	1,940	3,759	6,426
	5	-	-	1	24	113	373	529	731	1,771
	6	-	-	-	4	83	170	182	131	570
	7	-	-	-	-	16	62	34	26	138
	TOTAL----	-	-	3	94	515	1,638	4,708	8,428	15,386
53	1-2	-	-	-	1	2	20	23	19	65
	3	-	-	-	4	33	280	876	985	2,178
	4	-	-	1	8	33	357	1,739	2,294	4,432
	5	-	-	-	2	17	96	336	628	1,079
	6	-	-	-	-	4	16	43	81	144
	7	-	-	-	-	-	5	10	12	27
	TOTAL----	-	-	1	15	89	774	3,027	4,019	7,925
63	1-2	-	-	-	-	-	1	-	1	2
	3	-	-	-	-	3	25	52	36	116
	4	-	-	-	-	7	27	176	186	396
	5	-	-	-	-	-	19	152	155	326
	6	-	-	-	-	-	11	53	49	113
	7	-	-	-	-	-	-	1	4	5
	TOTAL----	-	-	-	-	10	83	434	431	958
24-54	1-7	-	-	8	40	115	377	929	1,501	2,970
25-35	1-7	-	-	-	-	-	1	-	1	2
81-85 1/	1-7	-	-	-	9	17	65	196	228	515
All Colors	8 2/	-	-	-	20	61	142	476	585	1,284
TOTAL, ALL--		65	1,198	9,327	51,927	190,929	608,134	2,186,968	4,855,691	7,904,239

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2004

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	398,037	389,466	332,951	175,867	94,810	18,302	2,156,590
	3	307,780	268,615	280,972	78,450	44,072	16,415	1,645,356
	4	29,013	21,238	20,512	5,272	1,423	772	130,509
	5	548	414	275	122	37	11	3,203
	6	10	7	5	1	1	-	65
	7	-	-	-	-	-	-	3
TOTAL----		735,388	679,740	634,715	259,712	140,343	35,500	3,935,726
31	1-2	121,613	87,496	45,760	18,196	9,163	2,708	574,928
	3	1,513,197	664,677	249,047	45,588	22,182	11,449	5,133,913
	4	679,757	346,226	127,670	23,572	5,305	2,439	1,908,309
	5	30,531	16,833	7,991	1,780	427	198	103,969
	6	902	459	315	79	18	4	4,967
	7	20	12	6	1	1	-	273
TOTAL----		2,346,020	1,115,703	430,789	89,216	37,096	16,798	7,726,359
41	1-2	11,515	5,551	2,653	661	147	17	53,894
	3	673,264	218,080	59,431	8,419	1,488	272	2,250,606
	4	707,869	309,849	99,697	18,044	2,422	387	1,891,784
	5	67,764	39,294	20,008	5,049	747	81	195,999
	6	3,974	2,219	1,546	339	49	7	16,302
	7	350	165	115	20	1	2	1,961
TOTAL----		1,464,736	575,158	183,450	32,532	4,854	766	4,410,546
51	1-2	329	128	86	18	3	1	1,381
	3	13,231	4,244	2,423	545	57	10	64,433
	4	24,827	9,284	5,026	946	62	352	99,597
	5	5,581	2,944	1,843	272	70	1	22,128
	6	805	462	382	62	48	-	3,093
	7	173	101	41	4	1	-	722
TOTAL----		44,946	17,163	9,801	1,847	280	26	191,055
61	1-2	7	6	8	1	-	1	47
	3	82	49	39	9	-	2	402
	4	131	68	57	6	1	-	788
	5	56	37	54	12	1	-	444
	6	23	20	15	3	-	-	107
	7	9	3	4	1	-	-	27
TOTAL----		308	183	177	32	2	3	1,815
71	1-2	3	-	-	-	-	-	7
	3	6	6	7	2	-	-	35
	4	1	2	9	1	-	-	20
	5	1	1	-	-	-	-	5
	6	-	1	-	-	-	-	1
	7	1	-	-	-	-	-	1
TOTAL----		12	10	16	3	-	-	69
12 & 22	1-2	8,182	4,585	2,549	1,437	906	162	54,575
	3	14,031	9,905	7,930	2,212	1,304	557	81,571
	4	2,820	2,018	1,364	350	79	112	13,741
	5	134	74	44	6	2	7	611
	6	-	3	-	-	-	-	15
	7	-	-	-	-	-	-	-
TOTAL----		25,167	16,585	11,887	4,005	2,291	838	150,513
32	1-2	1,946	1,215	931	590	381	105	16,326
	3	27,652	15,437	10,666	3,184	1,993	771	138,833
	4	24,033	12,841	9,426	2,688	720	684	99,378
	5	3,116	1,463	877	339	135	187	13,649
	6	204	92	57	26	5	6	1,122
	7	20	8	2	1	-	-	149
TOTAL----		56,971	31,056	21,959	6,828	3,234	1,753	269,457
42	1-2	413	340	350	142	37	4	3,501
	3	23,447	10,666	6,339	1,609	429	74	108,757
	4	45,535	19,691	12,239	3,634	597	140	163,147
	5	9,689	4,540	2,398	729	235	39	34,443
	6	765	394	276	65	13	4	3,667
	7	111	28	40	10	-	3	592
TOTAL----		79,960	35,659	21,642	6,189	1,311	264	314,107
52	1-2	55	23	32	20	5	1	284
	3	2,977	1,011	764	218	35	2	15,881
	4	9,413	3,460	2,909	646	52	4	37,412
	5	2,538	1,259	1,097	224	39	2	10,072
	6	246	216	240	37	15	-	1,252
	7	38	40	31	4	3	1	204
TOTAL----		15,267	6,009	5,073	1,149	149	10	65,105

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through January 29, 2004

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	3	-	3	1	-	8
	3	60	37	42	8	1	-	148
	4	113	78	66	8	-	1	266
	5	40	29	48	10	1	-	128
	6	12	15	34	8	1	-	70
	7	2	2	4	-	-	-	8
TOTAL---		228	164	194	37	4	1	628
13 & 23	1-2	959	544	186	167	56	4	1,916
	3	1,082	754	650	93	54	17	2,650
	4	212	120	61	8	4	2	407
	5	14	13	1	-	-	-	28
	6	1	-	-	-	-	-	1
	7	-	-	-	-	-	-	-
TOTAL---		2,268	1,431	898	268	114	23	5,002
33	1-2	364	260	132	119	75	9	959
	3	3,303	2,553	1,841	510	230	69	8,506
	4	1,757	1,262	995	291	52	48	4,405
	5	276	83	58	27	12	1	457
	6	29	3	5	1	-	-	38
	7	1	-	-	-	-	-	1
TOTAL---		5,730	4,161	3,031	948	369	127	14,366
43	1-2	131	58	63	24	5	-	281
	3	3,804	2,799	1,651	422	91	18	8,785
	4	4,124	2,939	2,760	757	109	25	10,714
	5	704	429	427	128	57	21	1,766
	6	129	55	46	26	4	6	266
	7	27	6	6	2	1	-	42
TOTAL---		8,919	6,286	4,953	1,359	267	70	21,854
53	1-2	15	6	9	6	1	-	37
	3	690	407	393	85	9	2	1,586
	4	1,800	1,218	1,198	263	23	3	4,505
	5	487	422	574	76	12	8	1,579
	6	64	57	104	11	5	4	245
	7	5	5	9	6	2	-	27
TOTAL---		3,061	2,115	2,287	447	52	17	7,979
63	1-2	1	1	-	-	1	1	4
	3	11	11	14	2	-	-	38
	4	78	58	54	6	-	-	196
	5	72	42	29	2	-	-	145
	6	10	5	11	2	-	-	28
	7	3	1	1	-	-	-	5
TOTAL---		175	118	109	12	1	1	416
24-54	1-7	1,720	2,144	2,003	633	125	10	6,635
25-35	1-7	1	-	-	-	-	-	1
81-85 1/	1-7	371	461	452	119	24	5	1,432
All Colors	8 2/	159	88	67	15	3	-	332
TOTAL, ALL-----		4,791,407	2,494,234	1,333,503	405,351	190,519	56,212	9,271,226
EXTRANEEOUS MATTER		Average Staple -----						
Bark - Level 1		Percent Tenderable -----						
Bark - Level 2								
Grass - Level 1								
Grass - Level 2								
Prep - Level 1								
Prep - Level 2								
Other - Level 1								
Other - Level 2								

17,175,465 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. — **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.3	0.7	1.3	2.0	2.3	2.3	1.9	1.0	0.6	0.1	12.6
	3	*	*	*	*	0.2	0.5	1.1	2.0	1.8	1.6	1.6	0.5	0.3	0.1	9.6
	4	-	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	0.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	0.1	0.5	1.2	2.6	4.1	4.3	4.0	3.7	1.5	0.8	0.2	22.9
31	1-2	*	*	*	*	0.1	0.2	0.6	0.8	0.7	0.5	0.3	0.1	*	*	3.3
	3	*	*	*	*	0.2	0.8	4.2	10.0	8.8	3.9	1.5	0.3	0.1	0.1	29.9
	4	*	*	*	*	0.1	0.2	0.9	2.9	4.0	2.0	0.7	0.1	*	*	11.1
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	0.1	0.4	1.3	5.7	13.9	13.7	6.5	2.5	0.5	0.2	0.1	45.0
41	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	3	-	*	*	*	*	0.4	2.2	5.0	3.9	1.3	0.3	*	*	*	13.1
	4	-	*	*	*	*	0.1	1.0	3.2	4.1	1.8	0.6	0.1	*	*	11.0
	5	-	*	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	*	1.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	0.1	0.6	3.3	8.6	8.5	3.3	1.1	0.2	*	*	25.7
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.4	0.3	0.1	0.1	*	*	*	1.1
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	0.1	*	*	*	0.9
32	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	0.1	0.1	0.3	0.4	0.3	0.2	0.1	*	*	*	1.6
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.6
	4	-	*	*	*	*	*	0.1	0.3	0.3	0.1	0.1	*	*	*	0.9
	5	-	*	*	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.3	0.5	0.5	0.2	0.1	*	*	*	1.8
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE															
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*	
	7	-	-	-	-	-	-	*	-	*	*	*	*	-	-	-	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
53	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
63	1-2	-	-	-	-	-	*	-	*	*	*	-	-	*	*	*	
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
25-35	1-7	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		*	*	*	0.3	1.1	3.5	12.7	28.3	27.9	14.5	7.8	2.4	1.1	0.3	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		1.9															
Bark - Level 2		*															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		0.5															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

17,175,465 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.4	0.6	0.4	0.2	*	*	-	-	1.6
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	0.1	0.5	0.8	0.6	0.3	*	*	*	-	2.3
31	1-2	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	0.9
	3	-	-	-	-	*	0.7	5.2	11.1	9.9	3.0	0.3	*	*	*	30.2
	4	-	-	-	*	*	0.2	3.1	7.8	6.7	2.9	0.4	*	*	*	21.2
	5	-	-	-	-	*	*	0.2	0.6	0.5	0.2	*	*	-	-	1.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	*	0.1	1.0	8.7	20.0	17.3	6.1	0.7	*	*	*	53.9
41	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.5	3.6	7.5	5.2	1.1	0.1	*	*	-	18.0
	4	-	-	-	-	*	0.3	2.6	6.4	5.5	1.8	0.5	*	*	-	17.0
	5	-	-	-	-	*	*	0.4	1.0	0.8	0.2	0.1	*	*	-	2.6
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.9	6.8	15.1	11.6	3.2	0.6	*	*	-	38.2
51	1-2	-	-	-	-	-	*	0.2	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.2	0.2	0.1	*	*	*	-	-	0.9
	4	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	*	-	-	0.3
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.1	0.5	0.7	0.3	*	*	*	-	-	1.7
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	*	-	-	1.0
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.1	0.6	0.9	0.5	0.1	*	*	*	-	2.2
52	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.6

* Less than 0.05 percent.

Table 3. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	*	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	2.3	17.5	38.1	30.7	9.8	1.4	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		2.4														
Bark - Level 2		"														
Grass - Level 1		0.2														
Grass - Level 2		"														
Prep - Level 1		0.6														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

Average Staple 34.3
Percent Tenderable 88.6

797,187 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- *Arizona*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.7	4.1	11.2	11.1	4.5	0.4	*	*	32.0
	3	-	-	-	-	*	*	0.1	0.7	2.2	2.6	1.5	0.2	*	*	7.5
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	-	-	-	*	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	*	*	0.1	0.8	4.8	13.4	13.7	6.1	0.6	0.1	*	39.7
31	1-2	-	-	-	-	*	*	0.4	2.5	6.4	7.1	3.7	0.4	*	*	20.4
	3	-	-	-	-	*	*	0.4	2.1	5.9	6.6	3.5	0.5	0.1	*	19.2
	4	-	-	-	-	*	*	0.2	0.4	0.6	0.5	0.3	0.1	*	*	2.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.1	1.0	5.0	12.9	14.2	7.6	1.0	0.1	*	41.8
41	1-2	-	-	-	-	-	*	0.1	0.6	0.8	0.6	0.2	*	*	-	2.3
	3	-	-	-	-	*	*	0.3	1.2	1.9	1.4	0.7	0.1	*	-	5.6
	4	-	-	-	-	*	0.1	0.2	0.4	0.4	0.3	0.2	*	*	-	1.6
	5	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	*	0.2	0.8	2.3	3.2	2.3	1.1	0.1	*	-	10.0
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	-	-	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	0.8
	3	-	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	0.2	0.6	0.5	0.2	*	*	-	1.6
32	1-2	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.3	0.2	*	*	-	1.4
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
TOTAL---		-	-	-	-	*	0.1	0.4	0.7	0.8	0.6	0.3	*	*	-	2.8
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	-	0.7
	4	-	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.3
	5	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	*	*	-	0.8
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	*	0.2	0.7	0.8	0.6	0.4	0.1	*	*	-	2.9
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL---		-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	0.1	0.8	3.9	14.2	31.7	31.8	15.4	1.8	0.2	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	5.5															
Bark - Level 2	*															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.3															
Other - Level 1	*															

493,651 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.3	1.2	1.0	0.4	0.1	*	*	-	3.0
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.4	1.2	0.5	0.1	*	*	-	3.5
31	1-2	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	-	-	-	1.0
	3	-	-	-	-	*	0.2	3.7	15.6	16.4	6.9	1.4	*	*	-	44.1
	4	-	-	-	-	*	*	0.4	4.1	9.3	3.9	0.6	*	*	-	18.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	4.3	20.3	26.2	11.0	2.0	*	*	-	64.0
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.8	4.1	5.4	2.2	0.3	*	*	-	12.9
	4	-	-	-	-	*	*	0.4	3.1	7.5	3.4	0.5	*	*	-	14.9
	5	-	-	-	-	-	*	*	0.1	0.6	0.3	*	*	*	-	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	1.2	7.5	13.5	5.9	0.8	*	*	-	29.0
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	*	-	0.8
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	*	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.2	0.2	*	*	*	-	-	0.5
	4	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	-	-	1.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	0.1	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	-	0.3	6.3	30.3	42.2	17.9	3.0	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 2		-														

1,733,696 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. — **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.8	3.3	8.9	15.2	11.5	6.4	1.3	47.6
	3	-	-	-	-	-	*	*	0.2	1.1	5.1	11.2	4.4	2.9	1.1	26.1
	4	-	-	-	-	-	*	*	*	*	0.2	0.7	0.2	0.1	*	1.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.2	1.1	4.4	14.2	27.1	16.2	9.5	2.4	75.0
31	1-2	-	-	-	-	*	*	0.1	0.4	0.9	1.1	1.1	1.1	0.6	0.2	5.3
	3	-	-	-	-	*	*	0.1	0.2	0.6	2.1	3.5	1.7	1.4	0.8	10.5
	4	-	-	-	*	*	*	*	0.1	0.1	0.5	1.3	0.5	0.3	0.2	3.0
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	*	*	*
TOTAL—		-	-	-	*	*	*	0.2	0.7	1.6	3.7	6.0	3.3	2.3	1.1	19.1
41	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	1.1
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	0.1	*	0.9
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.3	0.6	0.8	0.4	0.2	*	2.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	0.8
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	0.6
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.2	0.2	0.1	1.0
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
52	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	3	-	-	-	-	-	-	*	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL, ALL-----		-	-	-	*	*	0.1	0.5	2.1	6.6	19.0	34.9	20.5	12.5	3.8	100.0
EXTRANEEOUS MATTER		Average Staple														37.2
		Percent Tenderable														90.2
Bark - Level 1		0.6														
Bark - Level 2		-														
Grass - Level 1		0.3														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		*														
Other - Level 1		0.1														
Other - Level 2		-														

1,457,647 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.3	0.1	*	-	-	-	-	0.5
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	0.1	0.4	0.1	*	-	-	-	-	0.6
31	1-2	-	-	-	-	-	*	0.3	0.5	0.1	*	-	-	-	-	1.0
	3	-	-	-	-	*	0.2	3.6	13.3	9.5	1.9	*	-	-	-	28.5
	4	-	-	-	-	-	-	0.4	2.3	3.3	0.9	*	-	-	-	7.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.2	4.3	16.2	13.0	2.8	0.1	-	-	-	36.7
41	1-2	-	-	-	-	-	*	0.2	0.3	0.1	*	-	-	-	-	0.6
	3	-	-	-	-	*	0.4	5.8	19.4	11.1	1.1	*	-	-	-	37.8
	4	-	-	-	-	*	0.1	1.3	6.9	6.6	1.1	*	-	-	-	16.0
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.5	7.3	26.7	17.8	2.3	*	-	-	-	54.7
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	1.1	1.5	0.5	*	-	-	-	-	3.2
	4	-	-	-	*	*	*	0.7	1.4	0.5	*	-	-	-	-	2.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.1	1.8	3.0	1.0	*	*	-	-	-	6.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	4	-	-	-	-	-	*	0.1	0.3	0.2	*	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	0.2	0.5	0.3	*	*	-	-	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	0.3
	4	-	-	-	-	-	*	0.1	0.3	0.1	*	-	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	0.2	0.4	0.2	*	-	-	-	-	0.8

* Less than 0.05 percent.

Table 7. -- *Florida*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	*	1.0	14.0	47.2	32.5	5.2	0.1	-	-	-	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.4															Average Staple 34.3
Bark - Level 2	*															Percent Tenderable 87.1
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	1.1															
Prep - Level 2	*															
Other - Level 1	-															
Other - Level 1	-															

122,112 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	0.3	0.4	0.3	0.1	-	-	-	-	1.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.3	0.5	0.3	0.1	-	-	-	-	1.3
31	1-2	-	-	-	-	-	-	0.2	0.2	0.1	-	-	-	-	-	0.5
	3	-	-	-	-	-	0.6	4.6	10.3	7.1	1.4	0.1	-	-	-	24.2
	4	-	-	-	-	-	0.1	0.9	2.3	2.1	0.6	0.1	-	-	-	6.0
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.7	5.7	12.8	9.3	2.0	0.2	-	-	-	30.8
41	1-2	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	3	-	-	-	-	-	1.3	8.0	16.0	9.2	1.4	0.3	-	-	-	36.3
	4	-	-	-	-	-	0.4	3.3	8.6	7.5	1.9	0.6	0.1	-	-	22.4
	5	-	-	-	-	-	-	0.1	0.2	0.2	0.1	-	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.1	1.8	11.5	24.9	16.9	3.4	0.9	0.2	-	59.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.4	0.6	0.3	-	-	-	-	-	1.5
	4	-	-	-	-	-	0.1	0.4	0.8	0.6	0.1	0.1	-	-	-	2.0
	5	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	0.2	0.9	1.5	0.9	0.2	0.1	-	-	-	3.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	-	0.3
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.3	0.5	0.3	-	-	-	-	-	1.1
	4	-	-	-	-	-	-	0.3	0.7	0.5	0.1	-	-	-	-	1.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.1	0.6	1.2	0.8	0.2	0.1	-	-	2.9
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.2
	4	-	-	-	-	-	-	0.1	0.2	0.2	-	-	-	-	-	0.6
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	0.2	0.4	0.3	0.1	-	-	-	-	0.9

* Less than 0.05 percent.

Table 8. — **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----			-	-	-	-	0.1	2.9	19.2	41.5	28.7	5.9	1.3	0.3	-	100.0	
EXTRANEEOUS MATTER																	
Bark - Level 1		1.2															
Bark - Level 2		"															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		1.6															
Prep - Level 2		"															
Other - Level 1		"															
Other - Level 1		-															

2,036,620 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	-	0.1	0.1	0.3	0.2	0.3	0.3	0.1	*	-	-	-	1.4
	3	-	-	0.1	0.7	1.4	1.5	1.7	2.8	2.7	1.0	*	-	-	-	12.0
	4	-	-	*	0.2	0.9	1.5	1.1	1.0	1.1	0.4	-	-	-	-	6.2
	5	-	-	-	-	0.1	0.3	0.2	0.1	0.1	-	-	-	-	-	0.9
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	0.2	1.1	2.5	3.6	3.2	4.2	4.2	1.5	0.1	-	-	-	20.5
31	1-2	-	-	-	0.1	0.1	-	-	-	-	-	-	-	-	-	0.2
	3	-	0.1	0.2	1.1	1.7	1.8	1.1	1.0	0.8	0.3	-	-	-	-	8.2
	4	*	0.1	0.3	1.4	4.6	6.3	4.1	2.3	1.8	0.5	*	-	-	-	21.5
	5	-	-	0.1	0.6	3.0	7.1	4.7	1.5	1.1	0.4	-	-	-	-	18.5
	6	-	-	*	*	0.4	1.1	0.9	0.3	0.1	-	-	-	-	-	2.8
	7	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2
	TOTAL—	-	0.3	0.7	1.1	9.7	16.3	10.9	5.1	3.9	1.2	-	-	-	-	51.5
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	0.2
	4	-	*	-	0.1	0.4	0.5	0.3	0.1	-	*	-	-	-	-	1.5
	5	-	-	*	0.2	0.9	2.2	1.6	0.5	0.2	-	-	-	-	-	5.8
	6	-	-	-	0.1	0.5	1.5	1.7	0.8	0.2	0.1	-	-	-	-	4.9
	7	-	-	-	-	0.1	0.3	0.5	0.4	-	-	-	-	-	-	1.5
	TOTAL—	-	-	0.1	0.5	2.0	4.6	4.1	1.8	0.4	0.1	-	-	-	-	13.8
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL—	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	0.1	0.1	0.1	0.1	0.1	0.1	0.1	*	-	-	-	0.7
	4	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	*	-	-	-	0.7
	5	-	*	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	0.1	0.2	0.2	0.2	0.2	0.3	0.1	-	-	-	-	1.5
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	-	-	0.5
	4	-	*	*	0.2	0.5	0.6	0.3	0.2	0.1	0.1	*	-	-	-	1.9
	5	-	*	*	0.1	0.5	0.9	0.5	0.2	0.1	0.1	*	-	-	-	2.5
	6	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	-	0.5
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL—	-	-	0.1	0.5	1.2	1.7	1.0	0.5	0.4	0.3	*	-	-	-	5.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	*	*	*	*	0.1	*	*	*	*	-	-	-	-	0.3
	5	-	*	*	0.1	0.2	0.4	0.2	*	*	*	*	-	-	-	1.1
	6	-	*	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	-	0.9
	7	-	-	-	-	-	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	TOTAL—	-	*	*	0.2	0.5	0.9	0.6	0.2	0.1	*	*	-	-	-	2.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 9. — **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	0.1	-	0.1	0.1	-	-	-	-	-	-	0.3
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	4	-	-	-	-	0.1	0.2	0.1	0.1	-	-	-	-	-	-	0.6
	5	-	-	-	-	0.1	0.2	0.1	0.1	-	-	-	-	-	-	0.6
	6	-	-	-	-	-	-	0.1	-	-	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	0.1	0.3	0.5	0.3	0.2	0.1	-	-	-	-	-	1.5
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	0.1	0.1	0.1	-	-	-	-	-	-	-	0.3
	6	-	-	-	-	0.1	0.2	0.2	-	-	-	-	-	-	-	0.5
	7	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	0.2
TOTAL—		-	-	-	-	0.2	0.4	0.3	0.1	-	-	-	-	-	-	1.0
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	0.1	0.2	0.5	0.5	-	-	-	-	-	-	1.2
TOTAL, ALL—		-	0.4	1.2	5.8	16.8	28.5	21.5	13.0	9.4	3.3	0.1	-	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	12.5															
Bark - Level 2	-															
Grass - Level 1	-															
Grass - Level 2	-															
Prep - Level 1	0.3															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

56,873 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. - Less than 0.05 percent.

Table 10. – *Louisiana* : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.8	0.3	0.1	*	*	-	-	1.7
	3	-	-	-	-	*	0.1	0.9	1.9	1.1	0.3	0.1	*	*	-	4.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.2	1.3	2.7	1.4	0.4	0.1	*	*	-	6.1
31	1-2	-	-	-	-	*	0.1	0.6	1.0	0.4	0.1	*	*	-	-	2.3
	3	-	-	-	-	*	0.6	6.7	19.1	13.2	4.1	1.1	0.1	*	*	45.1
	4	-	-	-	-	*	*	0.7	3.8	4.6	2.0	1.2	0.4	*	*	12.7
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.8	8.0	24.0	18.3	6.3	2.4	0.5	*	*	60.4
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.2	1.7	5.1	3.8	1.2	0.2	*	*	-	12.1
	4	-	-	-	-	*	*	0.7	4.1	5.6	2.5	1.3	0.4	*	*	14.7
	5	-	-	-	-	-	*	*	0.2	0.6	0.5	0.6	0.2	*	*	2.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
TOTAL—		-	-	-	-	*	0.2	2.5	9.5	10.0	4.1	2.1	0.7	0.1	*	29.1
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	-	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	-	0.1	0.1	0.1	0.1	*	*	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.3	0.4	0.2	0.1	*	*	*	-	1.0
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.3	0.3	0.2	*	*	-	-	-	0.8
	4	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.5	0.8	0.6	0.2	*	*	*	-	2.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	-	0.1	0.2	0.2	*	*	*	-	-	0.5

* Less than 0.05 percent.

Table 10. — *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.			
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	-	1.4	12.8	37.7	30.9	11.2	4.7	1.2	0.1	*	100.0		
EXTRANEEOUS MATTER																		
Bark - Level 1		1.0																
Bark - Level 2		*																
Grass - Level 1		0.4																
Grass - Level 2		*																
Prep - Level 1		*																
Prep - Level 2		-																
Other - Level 1		*																
Other - Level 1		-																
																	Average Staple	34.6
																	Percent Tenderable	71.5

1,028,260 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.7	1.7	1.0	0.2	*	*	-	-	3.7
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.9	2.2	1.2	0.3	*	*	*	-	4.8
31	1-2	-	-	-	-	*	0.1	0.5	0.7	0.2	*	*	-	-	-	1.6
	3	-	-	-	-	*	0.4	6.1	16.1	12.2	3.2	0.3	*	*	-	38.3
	4	-	-	-	-	*	0.1	1.5	6.2	7.7	3.2	0.5	*	*	-	19.3
	5	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	*	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.6	8.1	23.2	20.6	6.6	0.9	0.1	*	-	60.0
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	1.5	3.9	3.5	0.9	0.1	*	*	-	10.0
	4	-	-	-	-	*	0.1	1.1	4.8	7.1	3.1	0.6	0.1	*	-	16.8
	5	-	-	-	-	*	*	0.1	0.6	1.1	0.6	0.2	*	*	-	2.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	2.7	9.3	11.7	4.6	0.8	0.1	*	-	29.6
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.2	0.3	0.2	*	*	*	*	*	-	0.8
61	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	0.7	0.6	0.2	*	*	*	-	-	1.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.2	0.5	0.5	0.2	*	*	*	-	1.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.3	0.8	0.8	0.3	*	*	*	*	-	2.3
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.3

* Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	*	1.0	12.7	36.8	35.3	12.1	1.9	0.2	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

2,059,251 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.1	0.3	0.1	0.1	*	*	-	-	0.6
	3	-	-	-	-	-	*	0.5	2.4	2.4	1.0	0.2	*	-	-	6.5
	4	-	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	0.6	2.9	2.9	1.2	0.2	*	-	-	7.8
31	1-2	-	-	-	-	-	*	0.2	0.6	0.5	0.2	*	-	-	-	1.6
	3	-	-	-	-	-	0.1	1.7	11.6	18.5	12.1	3.6	*	-	-	47.6
	4	-	-	-	-	-	*	0.2	2.3	9.1	8.7	2.1	*	-	-	22.5
	5	-	-	-	-	-	*	*	*	0.2	0.3	0.1	-	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	0.1	2.2	14.6	28.3	21.4	5.8	*	-	-	72.4
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.3	1.6	3.0	2.6	1.0	*	*	-	8.5
	4	-	-	-	-	-	*	0.1	0.7	2.8	3.0	1.1	*	*	-	7.8
	5	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	0.4	2.4	6.1	5.8	2.1	*	*	-	16.9
51	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.6
	4	-	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	1.1
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	-	-	0.9
52	1-2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 12. — *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL, ALL----		-	-	-	-	-	0.2	3.3	20.5	38.3	29.3	8.4	0.1	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														Average Staple 35.2
Bark - Level 2		-														Percent Tenderable 83.8
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

675,185 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.2	1.1	5.9	12.5	19.1	21.6	4.2	1.1	0.1	65.8
	3	-	-	-	-	-	-	0.3	1.1	1.4	1.6	3.2	2.3	1.4	0.4	11.6
	4	-	-	-	-	-	-	*	0.1	*	0.1	0.2	0.2	0.2	0.1	1.0
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	1.3	7.1	14.0	20.8	25.0	6.7	2.7	0.6	78.5
31	1-2	-	-	-	-	0.1	0.1	0.2	1.2	3.4	2.9	1.4	0.3	0.1	*	9.8
	3	-	-	-	-	*	0.2	0.4	0.7	1.5	1.4	1.4	1.1	0.5	0.1	7.4
	4	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.3	0.5	0.3	0.1	1.6
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	0.1	0.4	0.8	1.9	5.1	4.5	3.2	1.9	0.9	0.2	18.9
41	1-2	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	0.1	*	-	0.8
	4	-	-	-	-	*	*	0.1	0.1	*	*	0.1	0.1	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	0.2	0.4	0.3	0.2	0.2	*	-	1.4
51	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	0.1	*	-	-	0.2
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.4
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	-	-	0.3
	4	-	-	-	-	-	-	*	*	-	-	*	0.1	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	0.1	0.2	-	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	*	*	*	*	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	-	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	0.1	0.7	2.4	9.4	19.7	25.6	28.6	9.0	3.7	0.8	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

43,976 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	*	-	-	0.8
	3	-	-	-	*	*	0.6	4.9	12.1	13.1	5.3	0.5	*	*	-	36.5
	4	-	-	-	*	*	0.1	0.9	3.3	4.1	2.0	0.3	*	*	-	10.5
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	0.8	6.0	15.8	17.6	7.3	0.8	*	*	-	48.2
41	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	0.2
	3	-	-	-	*	*	0.5	4.3	11.1	10.6	3.5	0.3	*	*	*	30.4
	4	-	-	-	*	*	0.1	1.4	5.3	6.6	3.0	0.4	*	*	-	16.7
	5	-	-	-	-	*	*	0.1	0.4	0.5	0.2	*	*	-	-	1.3
	6	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	0.6	5.9	16.9	17.9	6.8	0.8	*	*	*	48.9
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	*	*	*	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	*	*	*	0.1	0.4	0.3	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	-	1.5	12.3	33.8	36.4	14.4	1.6	-	-	-	100.0	
EXTRANEEOUS MATTER																Average Staple	34.5
																Percent Tenderable	89.1
Bark - Level 1		1.3															
Bark - Level 2		-															
Grass - Level 1		0.8															
Grass - Level 2		-															
Prep - Level 1		0.9															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

1,007,199 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. — **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	0.1	0.3	1.1	3.1	7.8	12.9	13.6	7.0	0.3	*	-	46.3
	3	-	*	-	0.1	0.3	0.7	1.7	3.5	4.2	2.9	1.4	0.1	*	-	15.0
	4	-	*	-	*	0.1	0.1	0.2	0.4	0.4	0.2	*	*	-	-	1.4
	5	-	-	-	*	*	-	-	-	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	0.2	0.6	2.0	5.0	11.7	17.5	16.7	8.5	0.4	*	-	62.8
31	1-2	-	*	*	*	0.2	0.5	0.8	1.2	1.7	1.6	0.9	*	*	-	7.1
	3	-	*	*	0.2	0.6	1.4	2.3	2.8	2.5	1.9	1.2	0.1	-	-	13.0
	4	*	*	*	0.2	0.5	0.9	1.2	1.2	0.8	0.4	0.1	*	*	-	5.4
	5	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	-	1.1
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL—		*	*	0.1	0.4	1.4	3.1	4.7	5.5	5.1	4.0	2.2	0.2	*	-	26.7
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	-	-	0.7
	4	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	-	0.9
	5	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.1
	6	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
TOTAL—		-	*	*	0.1	0.3	0.6	0.9	0.9	0.4	0.1	*	*	-	-	3.3
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	0.1
TOTAL—		-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	*	*	*	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.8
	3	*	*	*	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	-	1.7
	4	-	-	*	*	*	*	*	0.1	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	*	*	0.1	0.2	0.5	1.0	0.7	0.3	*	*	-	-	2.8
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	*	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.3
	4	-	-	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	-	-	-	0.9
	5	-	-	*	*	*	*	*	0.1	*	*	-	-	-	-	0.2
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
TOTAL—		-	-	*	*	0.1	0.3	0.6	0.8	0.5	0.2	*	*	-	-	2.6
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	-	-	*	-	-	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5	
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
53	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	*	-	*	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	*	-	*	-	-	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	*	*	-	*	*	-	*	-	-	-	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
TOTAL, ALL-----		*	*	0.2	0.8	2.6	6.3	12.1	20.4	24.6	21.5	10.9	0.6	*	-	100.0	
EXTRANEEOUS MATTER		Average Staple														34.7	
Bark - Level 1		3.7	Percent Tenderable														62.3
Bark - Level 2		*															
Grass - Level 1		0.1															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

201,700 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	0.3
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	0.1	0.1	0.1	-	*	-	-	-	0.4
31	1-2	-	-	-	-	-	-	0.1	0.3	0.2	*	-	-	-	-	0.6
	3	-	-	-	-	*	0.4	2.8	7.7	7.8	2.3	0.2	*	*	-	21.2
	4	-	-	-	-	*	-	0.6	2.4	3.4	1.5	0.2	*	-	*	8.2
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.4	3.6	10.4	11.7	3.9	0.4	*	*	*	30.5
41	1-2	-	-	-	-	-	-	0.1	0.2	0.1	-	-	-	-	-	0.5
	3	-	-	-	*	*	0.9	5.6	13.8	11.4	3.0	0.3	*	*	-	34.9
	4	-	-	-	*	*	0.3	2.3	8.9	11.0	4.1	0.7	0.1	*	-	27.3
	5	-	-	-	-	*	-	0.1	0.6	1.0	0.4	0.1	*	*	-	2.3
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	1.2	8.2	23.6	23.6	7.6	1.0	0.1	*	-	65.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.2	0.3	0.2	*	-	-	-	-	0.7
	4	-	-	-	-	*	0.1	0.3	0.5	0.3	0.1	*	-	-	-	1.2
	5	-	-	-	-	*	-	0.1	0.2	0.1	*	*	*	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.6	1.0	0.6	0.1	*	*	*	-	2.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
42	1-2	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2

* Less than 0.05 percent.

Table 16. — **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER		Average Staple														34.5
Bark - Level 1		Percent Tenderable														88.2
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 2																

309,382 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.2	0.9	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	-	-	-	0.3	2.6	4.0	1.8	0.6	0.1	*	-	-	9.2
	4	-	-	-	-	-	*	0.1	0.2	0.1	0.1	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.4	3.5	4.8	2.1	0.7	0.1	*	-	-	11.6
31	1-2	-	-	-	-	*	0.3	1.5	1.0	0.3	0.1	*	-	-	-	3.1
	3	-	-	-	-	*	1.3	12.4	22.2	13.2	4.4	0.6	*	-	-	54.1
	4	-	-	-	-	-	0.1	1.2	4.4	4.5	1.8	0.4	*	-	-	12.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	1.7	15.1	27.7	18.1	6.3	1.0	*	-	-	70.0
41	1-2	-	-	-	-	-	*	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.4	2.2	3.4	1.8	0.6	0.1	*	-	-	8.6
	4	-	-	-	-	*	0.1	0.8	1.9	1.7	0.8	0.2	*	-	-	5.5
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.6	3.2	5.5	3.7	1.5	0.3	*	-	-	14.8
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	0.4	0.3	0.2	*	*	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.3	0.2	0.1	*	-	-	-	0.8
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.2	0.5	0.3	0.1	*	-	-	-	1.2
42	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	0.2	0.3	0.2	0.1	*	*	-	-	0.9
52	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.3	1.1	2.6	4.7	6.3	6.0	4.0	1.6	0.1	*	*	26.7
	3	*	*	*	0.2	0.6	1.7	3.1	4.3	4.3	3.4	2.4	0.3	*	*	20.2
	4	-	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.2	*	*	*	1.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	0.1	0.5	1.8	4.5	8.0	10.9	10.7	7.7	4.2	0.4	*	*	48.8
31	1-2	*	*	*	0.1	0.3	0.7	1.2	1.4	1.1	0.6	0.2	*	*	-	5.7
	3	*	*	*	0.2	0.8	1.9	3.2	4.0	3.7	2.9	2.2	0.3	*	*	19.3
	4	-	*	*	0.1	0.3	0.7	1.0	1.2	1.2	1.0	1.0	0.2	*	*	6.6
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL		*	*	0.1	0.4	1.4	3.4	5.5	6.7	6.1	4.6	3.5	0.6	*	*	32.4
41	1-2	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	3	-	*	*	*	0.1	0.3	0.6	0.8	0.7	0.6	0.5	0.1	*	*	3.6
	4	-	*	*	*	*	0.2	0.3	0.5	0.6	0.7	0.7	0.2	*	*	3.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL		-	*	*	*	0.2	0.6	1.1	1.4	1.5	1.4	1.4	0.3	*	*	7.8
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	-	0.7
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	*	*	*	*	0.1	0.2	0.2	0.2	0.1	0.1	*	*	*	-	1.1
	3	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.1	*	*	-	1.5
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	*	0.1	0.2	0.4	0.6	0.6	0.4	0.3	0.2	*	*	-	2.8
32	1-2	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
	3	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.2	0.2	*	*	-	1.6
	4	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	0.2	*	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL		*	*	*	0.1	0.3	0.4	0.6	0.5	0.4	0.3	0.4	0.1	*	*	3.2
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	0.1	0.1	0.2	0.1	0.1	0.1	*	*	-	0.8
	4	-	-	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	1.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL		-	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.4	0.1	*	*	2.3
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.5

* Less than 0.05 percent.

Table 18. -- **Texas** : Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.3
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
43	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
63	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL----		*	*	0.2	1.1	4.1	9.7	16.5	21.0	20.2	15.1	10.4	1.6	0.1	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	4.1															
Bark - Level 2	*															
Grass - Level 1	1.4															
Grass - Level 2	*															
Prep - Level 1	0.4															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

4,194,249 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	0.2	*	*	-	-	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	0.5
31	1-2	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	0.1	1.6	7.1	11.1	13.6	4.5	0.1	*	-	38.2
	4	-	-	-	-	-	*	0.4	3.2	5.8	4.9	2.0	*	-	-	16.4
	5	-	-	-	-	-	-	*	0.2	0.3	0.2	0.1	*	-	-	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	0.1	2.1	10.5	17.3	18.7	6.6	0.2	*	-	55.6
41	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.8	4.4	8.1	8.2	2.8	0.1	-	-	24.4
	4	-	-	-	-	-	*	0.6	3.3	6.4	4.9	1.8	*	-	-	17.0
	5	-	-	-	-	-	-	0.1	0.3	0.7	0.3	0.1	*	-	-	1.4
	6	-	-	-	-	-	-	*	*	0.1	*	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.1	1.5	8.0	15.3	13.4	4.7	0.1	-	-	43.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
January 29, 2004

QUALITY		January 29, 2004														
COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	*	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.1	3.6	18.8	33.2	32.6	11.4	0.3	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		-														
Grass - Level 1		0.6														
Grass - Level 2		-														
Prep - Level 1		0.9														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														
		Average Staple 35.3														
		Percent Tenderable 88.7														

104,991 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 29, 2004

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	*	*	*	-	*	1.4	-	*
25	*	*	*	*	-	*	1.0	-	*
26	0.1	*	*	*	*	*	1.4	*	*
27	0.1	*	*	*	*	*	1.8	*	*
28	0.1	*	*	0.1	*	*	2.4	*	*
29	0.2	0.1	*	0.1	*	*	3.3	*	*
30	0.3	0.1	0.1	0.2	0.1	*	4.0	*	0.1
31	0.4	0.1	0.1	0.4	0.2	0.1	4.6	*	0.1
32	0.5	0.2	0.1	0.7	0.3	0.1	4.7	*	0.1
33	0.6	0.3	0.2	1.3	0.6	0.3	4.7	*	0.2
34	0.8	0.4	0.3	2.0	0.7	0.4	4.8	*	0.2
35	1.2	0.5	0.5	2.9	0.9	0.6	4.8	0.1	0.4
36	1.7	0.7	0.8	4.2	1.3	0.9	4.6	0.2	0.5
37	2.6	0.8	1.1	5.8	1.8	1.5	4.6	0.3	0.7
38	3.7	1.1	1.6	7.4	2.8	2.3	4.1	0.4	0.9
39	4.9	1.5	2.1	8.9	3.9	3.6	3.9	0.5	1.3
40	6.5	2.1	2.8	10.0	5.3	5.5	3.9	0.8	1.8
41	8.0	2.8	3.5	10.0	7.0	8.0	3.8	1.2	2.5
42	9.5	3.6	4.4	9.3	8.5	11.0	3.9	1.8	3.4
43	10.5	4.8	5.7	8.5	9.3	13.9	3.9	2.8	4.5
44	11.0	5.8	7.2	7.2	9.8	15.0	4.5	4.4	6.0
45	10.6	7.1	8.4	5.8	10.1	13.5	4.7	7.0	7.6
46	9.5	8.4	9.7	4.5	11.2	10.1	4.1	10.9	9.8
47	7.3	9.4	10.6	3.4	9.9	6.5	3.9	14.9	11.9
48	5.0	10.3	10.7	2.6	6.9	3.7	3.8	16.4	12.7
49	3.0	10.1	9.8	1.9	4.4	1.8	2.8	14.7	11.6
50	1.2	9.3	7.8	1.1	2.5	0.7	1.8	10.8	9.0
51	0.5	7.9	5.7	0.8	1.5	0.3	1.2	6.6	6.5
52	0.2	5.7	3.6	0.5	0.6	0.1	1.1	3.5	4.3
53	*	3.6	1.8	0.2	0.1	*	0.4	1.7	2.2
54	*	2.0	0.8	0.1	*	*	0.2	0.7	1.1
55	*	1.0	0.3	*	*	*	*	0.4	0.4
56	-	0.3	0.1	*	-	*	-	0.1	0.1
57	-	0.1	*	-	-	-	*	*	*
58	-	*	*	-	-	*	-	*	*
59	-	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	43	47	46	41	44	43	38	48	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	*	-	-	-	-	-	-	-
20	-	*	-	-	-	*	*	-	-
21	*	*	*	*	*	*	*	*	*
22	*	0.1	*	*	*	*	0.1	*	*
23	0.1	0.3	0.1	*	0.1	0.1	0.3	0.1	0.1
24	0.7	0.9	0.5	*	0.9	1.2	1.7	0.5	0.7
25	3.0	2.8	2.7	0.2	4.2	4.2	6.0	2.2	3.2
26	9.8	6.7	8.9	0.5	11.6	11.5	13.4	7.6	9.2
27	21.3	12.5	20.0	1.1	25.0	23.2	21.1	18.3	18.6
28	26.5	17.6	29.4	2.0	29.8	27.8	21.4	26.6	26.3
29	19.7	20.2	22.7	3.6	18.2	18.4	15.8	21.8	22.1
30	11.3	17.9	9.8	6.7	7.6	8.8	11.2	11.5	11.7
31	5.1	11.6	3.6	13.4	2.1	3.3	6.4	5.2	5.1
32	1.8	5.7	1.4	19.1	0.5	1.1	2.2	2.9	2.0
33	0.5	2.4	0.5	22.7	0.1	0.3	0.3	1.9	0.7
34	0.1	0.9	0.3	18.4	*	*	0.1	1.0	0.3
35	*	0.3	0.1	8.5	*	*	*	0.3	0.1
36 & above	*	0.1	0.1	3.7	-	*	-	0.1	*
Average strength	28.1	28.9	28.2	32.5	27.8	27.9	27.9	28.5	28.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through January 29, 2004

MIKE AND FIBER STRENGTH		MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	*	*	*	0.4	*	*	*	*	*
	25	*	*	*	0.3	*	*	*	*	*
	26	*	*	*	0.4	0.1	*	0.1	*	*
	27	*	0.1	*	0.4	0.2	0.1	0.1	*	0.1
	28	0.1	*	0.1	0.5	0.2	0.2	0.2	0.1	0.1
	29	0.1	0.1	0.1	0.5	0.2	0.2	0.3	0.1	0.1
	30	0.2	0.1	0.2	0.6	0.4	0.3	0.4	0.4	0.2
	31	0.2	0.2	0.2	0.6	0.4	0.3	0.6	0.5	0.3
	32	0.3	0.4	0.4	0.7	0.6	0.4	0.8	0.9	0.4
	33	0.5	0.9	0.6	0.8	0.9	0.6	1.0	1.5	0.6
	34	0.6	1.3	1.0	0.9	1.4	0.7	1.3	2.2	0.8
	35	0.9	2.0	1.6	1.1	2.2	0.9	1.6	3.4	1.1
	36	1.4	2.4	2.5	1.3	3.2	1.2	1.9	5.1	1.6
	37	1.9	2.9	4.0	1.5	4.4	1.4	2.3	7.1	2.1
	38	2.6	4.3	5.9	1.8	6.1	1.8	2.8	9.3	2.9
	39	3.7	5.5	8.3	2.3	8.2	2.3	3.4	11.0	3.7
	40	4.8	6.8	10.8	2.8	10.4	2.9	4.0	11.1	4.7
	41	6.0	8.0	12.9	3.8	12.0	3.6	4.6	11.1	5.7
	42	7.3	9.9	13.3	4.9	13.0	4.3	5.6	10.7	6.7
	43	8.4	10.2	12.2	6.0	12.4	5.2	6.5	9.4	7.6
	44	9.0	8.9	9.8	7.1	10.0	6.1	7.2	6.9	8.2
	45	9.4	8.4	6.9	7.8	6.6	7.0	7.6	4.5	8.3
	46	9.1	7.8	4.5	8.4	3.6	7.9	8.0	2.6	8.4
	47	8.7	6.5	2.5	8.2	1.9	8.5	8.2	1.3	8.2
	48	7.3	4.9	1.3	7.7	0.9	9.0	8.0	0.5	7.7
	49	6.0	3.8	0.6	7.7	0.3	8.7	7.1	0.2	6.7
	50	4.5	2.3	0.2	6.5	0.1	8.0	5.8	*	5.1
	51	3.1	1.2	0.1	5.0	*	7.0	4.4	*	3.7
	52	2.0	0.5	*	3.6	*	5.5	3.0	-	2.4
	53	1.1	0.3	*	2.7	*	3.4	1.8	*	1.4
	54	0.5	0.1	*	2.0	*	1.5	0.9	-	0.7
	55	0.2	0.1	*	1.3	*	0.6	0.4	-	0.3
	56	0.1	-	*	0.5	*	0.1	0.1	-	0.1
	57	*	-	-	0.1	-	*	*	-	*
	58	*	-	-	*	-	*	*	-	*
	59	-	-	-	-	-	-	*	-	*
	60 & above	-	-	-	-	-	-	-	-	-
Average mike		44	43	42	45	41	46	45	40	46
FIBER STRENGTH 1/										
FIBER STRENGTH 1/	17 & below	-	-	-	-	-	-	*	-	*
	18	-	-	-	-	-	-	*	-	*
	19	-	-	-	*	-	-	*	-	*
	20	-	-	*	*	-	*	*	-	*
	21	*	*	*	*	*	*	*	*	*
	22	*	0.1	*	0.1	*	*	0.1	*	*
	23	0.1	0.6	0.1	0.2	0.2	0.2	0.2	0.1	0.1
	24	0.4	1.7	1.3	0.6	1.1	1.1	0.8	0.9	0.8
	25	2.2	2.6	5.8	1.8	3.8	4.8	2.3	3.9	2.9
	26	7.3	3.8	14.9	4.9	9.5	15.2	5.1	10.3	8.1
	27	15.3	8.5	24.2	11.9	19.7	28.2	10.6	20.2	16.4
	28	23.9	16.1	23.6	19.3	26.0	25.8	17.2	25.1	21.9
	29	24.0	20.7	15.6	21.0	20.8	14.2	19.5	19.1	18.5
	30	15.3	17.3	8.1	17.3	10.8	6.3	16.4	10.2	11.7
	31	7.7	11.9	3.8	11.4	5.1	2.6	12.0	5.3	7.3
	32	2.8	9.2	1.6	6.7	2.2	1.1	8.6	2.8	5.1
	33	0.7	4.7	0.6	3.4	0.6	0.3	5.0	1.4	3.7
	34	0.2	2.0	0.1	1.2	0.2	0.1	1.8	0.4	2.2
	35	*	0.6	*	0.2	*	*	0.5	0.1	0.9
	36 & above	*	0.1	*	0.1	*	*	0.1	*	0.3
Average strength		28.6	29.3	27.8	29.1	28.2	27.6	29.3	28.2	28.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 29, 2004

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	*	-	*	-	*	*	-	-
76	*	0.1	*	*	*	*	*	-	-
77	0.1	0.8	*	*	0.1	0.2	0.3	*	*
78	1.1	3.8	0.1	0.3	1.0	2.5	4.3	1.0	0.2
79	5.5	12.3	1.0	1.6	7.3	12.8	19.2	9.3	2.4
80	17.9	30.0	6.8	6.5	30.4	34.1	39.3	26.1	12.3
81	32.0	34.7	25.6	23.5	40.5	34.2	28.8	31.2	27.8
82	30.7	15.1	47.7	42.6	18.0	13.8	7.2	23.2	37.3
83	11.6	2.9	17.2	20.3	2.6	2.3	0.8	8.1	17.5
84	1.2	0.3	1.6	3.9	0.1	0.1	*	0.9	2.3
85	*	*	*	1.0	*	*	-	*	*
86	-	-	-	0.4	-	-	-	*	-
87	-	-	-	*	-	-	-	-	-
88	-	-	-	*	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.2	80.5	81.8	81.9	80.8	80.5	80.2	80.9	81.6
TRASH 2/									
0.0	-	*	*	*	*	*	*	-	*
0.1	0.1	20.3	0.3	25.4	0.2	0.3	0.4	0.6	0.5
0.2	3.7	42.4	7.5	42.6	4.9	6.1	5.6	8.9	6.9
0.3	14.4	21.7	23.4	19.8	19.8	19.2	13.2	24.2	20.3
0.4	23.0	7.0	26.2	6.7	30.7	29.7	13.3	24.0	22.8
0.5	21.3	2.8	18.5	2.7	22.7	21.1	15.6	17.1	17.5
0.6	15.1	1.9	12.8	1.5	11.8	11.6	13.7	12.4	14.5
0.7	9.6	1.1	5.7	0.6	5.5	6.1	11.7	5.8	7.3
0.8	5.6	0.9	2.9	0.3	2.5	3.2	7.6	3.5	4.7
0.9	3.1	0.7	1.4	0.2	1.0	1.5	5.5	1.9	2.8
1.0	1.8	0.4	0.7	0.1	0.5	0.6	3.6	0.9	1.4
1.1	0.8	0.3	0.2	*	0.2	0.2	2.5	0.4	0.6
1.2	0.5	0.2	0.1	*	0.1	0.2	1.9	0.2	0.3
1.3	0.4	0.1	0.1	*	*	0.1	1.3	0.2	0.2
1.4	0.2	0.1	*	*	*	*	1.2	0.1	*
1.5	0.1	0.1	*	*	*	*	1.0	*	*
1.6	0.1	*	*	*	*	*	0.4	*	*
1.7	*	*	*	*	*	*	0.3	*	*
1.8 & above	0.1	0.1	*	*	*	*	1.3	*	*
Average trash	0.53	0.26	0.45	0.23	0.45	0.46	0.63	0.45	0.48

1/ A measure of the relative uniformity of the length of fibers; ■ all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through January 29, 2004

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	*	-	*
74	-	-	-	-	-	-	*	-	*
75	-	-	-	*	-	-	*	-	*
76	-	*	*	0.2	*	*	*	-	*
77	*	0.1	*	0.7	*	*	0.3	*	0.1
78	*	1.1	0.5	2.9	1.0	0.2	1.9	*	1.1
79	0.4	6.4	4.0	10.0	7.1	1.3	8.3	0.7	5.9
80	3.1	25.0	15.2	23.8	24.0	7.0	22.3	5.2	18.0
81	20.7	35.0	32.9	33.2	36.5	25.6	32.8	20.3	30.0
82	49.9	23.8	33.8	22.1	24.3	43.4	24.6	39.0	31.0
83	22.8	7.5	12.2	6.4	6.5	20.2	8.6	28.7	12.1
84	3.0	1.0	1.3	0.7	0.6	2.3	1.1	5.8	1.6
85	0.1	*	*	*	*	*	*	0.1	0.1
86	-	-	-	-	-	-	*	-	*
87	-	-	-	-	-	-	-	-	*
88	-	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	81.0	81.4	80.8	81.0	81.8	81.0	82.1	81.3
TRASH 2/									
0.0	-	*	-	0.1	*	*	*	-	*
0.1	0.7	40.9	0.1	31.7	0.1	1.5	16.7	*	7.6
0.2	10.7	35.6	4.1	34.8	3.1	16.6	32.6	1.8	17.9
0.3	26.4	14.8	19.5	16.5	14.8	29.5	23.1	13.7	21.6
0.4	27.0	5.1	26.3	6.7	22.4	23.5	11.7	25.3	19.7
0.5	17.4	2.0	21.3	4.1	21.0	13.6	6.5	24.1	13.8
0.6	10.0	1.0	14.3	2.4	16.7	7.9	4.0	17.6	9.2
0.7	4.3	0.3	6.9	1.4	9.6	3.6	2.1	8.6	4.6
0.8	1.9	0.1	3.5	0.8	5.6	1.9	1.3	4.5	2.6
0.9	0.8	0.1	1.8	0.5	3.2	1.0	0.8	2.3	1.4
1.0	0.4	*	0.9	0.3	1.7	0.5	0.4	1.2	0.7
1.1	0.1	*	0.4	0.2	0.7	0.2	0.3	0.5	0.3
1.2	*	*	0.3	0.1	0.4	0.1	0.2	0.3	0.2
1.3	*	*	0.2	0.1	0.3	*	0.1	0.1	0.1
1.4	*	*	0.1	0.1	0.2	*	0.1	*	0.1
1.5	*	-	0.1	*	0.1	*	0.1	*	*
1.6	*	-	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	0.1	*	*	*	0.1	*	*
Average trash	0.42	0.20	0.48	0.24	0.53	0.39	0.30	0.51	0.40

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through January 29, 2004

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	15.7	25.5	20.4	40.4	22.6
	2	18.0	7.2	14.1	8.8	6.9
	3	0.6	0.1	0.1	0.0	0.2
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		34.3	32.9	34.6	49.2	34.7
02	1	5.1	45.6	9.3	24.6	39.3
	2	46.7	13.3	40.1	23.5	13.2
	3	8.6	2.5	8.3	1.1	2.6
	4	0.3	0.6	0.5	0.0	0.6
	5	0.0	0.1	0.0	0.0	0.2
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		60.7	62.2	58.1	49.2	60.7
03	1	0.0	0.6	0.0	0.0	0.6
	2	1.6	1.8	1.3	1.0	1.7
	3	1.0	0.8	3.9	0.5	0.9
	4	0.3	0.4	0.7	0.0	0.5
	5	0.1	0.2	0.0	0.0	0.3
	6	0.0	0.1	0.0	0.0	0.2
	7	0.0	0.0	0.0	0.0	0.1
Total		3.0	3.9	6.0	1.5	3.7
04	1	0.0	0.0	0.0	0.0	0.1
	2	0.2	0.1	0.2	0.0	0.2
	3	0.2	0.2	0.3	0.0	0.3
	4	0.3	0.2	0.3	0.0	0.3
	5	0.2	0.1	0.3	0.0	0.2
	6	0.0	0.1	0.0	0.0	0.2
	7	0.0	0.0	0.0	0.0	0.1
Total		1.0	0.8	1.0	0.1	0.7
05	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.1	0.0	0.0	0.0	0.1
	4	0.1	0.0	0.0	0.0	0.1
	5	0.2	0.0	0.2	0.0	0.1
	6	0.7	0.0	0.1	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		1.1	0.2	0.3	0.0	0.2
06	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		0.0	0.0	0.0	0.0	-
07	1	0.0	0.0	0.0	0.0	0.1
	2	0.0	0.0	0.0	0.0	0.1
	3	0.0	0.0	0.0	0.0	0.1
	4	0.0	0.0	0.0	0.0	0.1
	5	0.0	0.0	0.0	0.0	0.1
	6	0.0	0.0	0.0	0.0	0.1
	7	0.0	0.0	0.0	0.0	0.1
Total		0.0	0.0	0.0	0.0	-
STAPLE						
40 & shorter		0.0	0.0	0.0	0.0	0.1
42		0.0	0.0	0.0	0.0	0.1
44		14.9	2.6	4.8	14.1	2.6
46		47.7	44.2	45.0	65.5	39.7
48 & longer		37.4	53.2	50.2	20.3	47.4
Average		46.5	47.0	46.9	46.1	46.9
UNIFORMITY						
72 & below		0.0	0.0	0.0	0.0	0.1
73		0.0	0.0	0.0	0.0	0.1
74		0.0	0.0	0.0	0.0	0.1
75		0.0	0.0	0.0	0.0	0.1
76		0.0	0.0	0.0	0.0	0.1
77		0.1	0.0	0.0	0.0	0.1
78		0.0	0.0	0.0	0.0	0.1
79		0.1	0.0	0.0	0.0	0.1
80		0.0	0.0	0.1	0.0	0.1
81		0.1	0.1	0.1	0.0	0.2
82		2.5	0.7	1.2	0.7	0.8
83		12.9	4.3	5.9	5.1	4.1
84		25.9	18.9	17.5	19.2	17.0
85		29.3	40.3	33.1	37.7	35.8
86		21.2	28.7	29.6	27.0	25.7
87		7.2	6.9	10.7	8.5	6.4
88		0.8	0.2	1.8	1.6	0.3
89		0.0	0.0	0.1	0.1	0.1
90 & above		0.0	0.0	0.0	0.0	0.1
Average		84.8	85.1	85.2	85.2	85.1
BALES CLASSED		4,342	346,018	12,576	43,145	406,081

* Less than 0.05 percent.

Table 22. - Quality of American Pima cotton classed for producers by State and United States through January 29, 2004

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	0.0	0.0	0.0	0.0	-
25 - 26	0.0	0.0	0.0	0.0	*
27 - 29	0.1	0.2	0.0	0.0	0.1
30 - 32	1.4	1.8	0.3	0.2	1.6
33 - 34	0.9	3.0	1.0	0.6	2.7
35 - 36	1.9	5.2	2.5	2.1	4.7
37 - 42	74.8	66.4	52.7	26.4	61.8
43 - 49	20.9	23.4	43.4	70.4	29.0
50 - 52	0.0	0.0	0.0	0.4	*
53 & above	0.0	0.0	0.0	0.0	-
Average	41	40	42	44	41
ALL MIKE					
24 & below	0.0	0.0	0.0	0.0	0.1
25	0.0	0.0	0.0	0.0	0.1
26	0.0	0.0	0.0	0.0	0.1
27	0.0	0.0	0.0	0.0	0.1
28	0.0	0.0	0.0	0.0	0.1
29	0.1	0.1	0.0	0.0	0.2
30	0.3	0.3	0.0	0.0	0.4
31	0.5	0.6	0.1	0.1	0.6
32	0.6	0.9	0.2	0.0	0.9
33	0.4	1.3	0.3	0.2	1.2
34	0.5	1.8	0.7	0.4	1.7
35	0.6	2.3	1.0	0.9	2.1
36	1.3	2.9	1.5	1.3	2.6
37	3.5	4.5	2.9	1.7	4.1
38	8.1	6.8	4.3	2.1	6.1
39	12.6	10.3	6.5	3.0	9.2
40	16.4	13.7	10.0	4.4	12.3
41	17.5	15.9	13.6	6.5	14.3
42	16.7	15.2	15.5	8.7	13.7
43	13.7	11.6	16.0	10.6	10.6
44	5.6	7.2	13.4	13.9	6.7
45	1.4	3.2	7.3	14.5	3.1
46	0.2	1.1	4.2	14.4	1.2
47	0.0	0.3	1.7	10.3	0.4
48	0.0	0.0	0.6	4.7	0.1
49	0.0	0.0	0.2	1.9	0.1
50	0.0	0.0	0.0	0.4	0.1
51	0.0	0.0	0.0	0.0	0.1
52	0.0	0.0	0.0	0.0	0.1
53	0.0	0.0	0.0	0.0	0.1
54	0.0	0.0	0.0	0.0	0.1
55	0.0	0.0	0.0	0.0	0.1
56	0.0	0.0	0.0	0.0	0.1
57	0.0	0.0	0.0	0.0	0.1
58	0.0	0.0	0.0	0.0	0.1
59	0.0	0.0	0.0	0.0	0.1
60 & above	0.0	0.0	0.0	0.0	0.1
Average	41	40	42	44	41
Strength					
17 & below	0.0	0.0	0.0	0.0	-
18	0.0	0.0	0.0	0.0	-
19	0.0	0.0	0.0	0.0	-
20	0.0	0.0	0.0	0.0	-
21	0.0	0.0	0.0	0.0	-
22	0.0	0.0	0.0	0.0	-
23	0.0	0.0	0.0	0.0	-
24	0.0	0.0	0.0	0.0	-
25	0.0	0.0	0.0	0.0	*
26	0.0	0.0	0.0	0.0	*
27	0.0	0.0	0.0	0.0	*
28	0.0	0.0	0.0	0.0	*
29	0.0	0.0	0.0	0.0	*
30	0.0	0.1	0.0	0.0	*
31	0.0	0.1	0.0	0.0	0.1
32	0.0	0.3	0.0	0.0	0.2
33	0.6	0.6	0.1	0.0	0.5
34	2.0	1.0	0.3	0.1	0.9
35	3.8	1.4	1.2	0.6	1.4
36	7.0	1.9	3.4	2.2	2.0
37	11.4	3.1	7.8	6.1	3.7
38	15.4	6.1	15.3	14.3	7.3
39	16.1	10.7	20.4	21.8	12.2
40	15.4	16.8	19.9	22.7	17.5
41	12.4	19.6	15.6	17.3	19.2
42	8.0	16.8	8.8	8.5	15.6
43	4.3	11.2	4.5	3.8	9.8
44	2.2	6.0	1.8	1.7	5.3
45 & above	1.2	4.3	0.8	0.9	3.8
Average	39.1	40.7	39.6	39.8	40.6
EXTRANEEOUS MATTER					
Bark	2.3	0.0	0.9	0.0	0.1
Grass	0.0	0.1	0.6	0.1	0.1
Spindle Twist	0.3	0.4	0.0	0.0	0.3
Preparation	0.1	1.6	0.0	0.0	1.4

* Less than 0.05 percent.



1022670619